

CLASSIFIED MESSAGE

ROUTING

DATE

2022Z 09 SEP 1964

S E C R E T

1	EXO	9	RB
2	DAD	10	
3	CD	11	
4	D Tech	12	
5	I	13	
6		14	
7	DFA	15	
8	SD	16	

TO : DIRECTOR

FROM :

ACTION: 25X1A

INFO :

ROUTINE

IN 96446

TOP 2138Z 09 SEP 1964

TO

25X1A

25X1A

INFO

CITE

9743

REF: A. 5110
B. 1683 - attached
C. 2741 - attached
D. 3379 - attached
E. 5263

25X1A

25X1A

1. FOR MR. CUNNINGHAM FROM [] PER YOUR REQUEST, WE HAVE REVIEWED THE REQUIREMENTS INDICATED IN REF. A FOR ADDITIONAL EQUIPMENT. ASSUMING REF. B HAS PRIORITY, WE CANNOT PROVIDE ANY EQUIPMENT FOR REF. A AT THIS TIME EXCEPT THE FOUR INSPECTION TABLES/WHICH CURRENTLY ARE BEING READIED FOR SHIPMENT.

2. FURTHERMORE, THE REPLACEMENT EQUIPMENT AUTHORIZED REF. D DOES NOT INCLUDE ANY IN WHICH [] IS INTERESTED. 25X1A

3. A NIAGARA PRINTER AUTHORIZED BY YOU ON TASK 13 EG-400 SHOULD BE AVAILABLE IN DECEMBER. ALL THE OTHER ITEMS WOULD HAVE TO BE MADE.

4. REF. E ADDS TO THE LIST ONE MORE VERSAMAT PROCESSOR AND TWO MORE MIX TANKS. I FEEL THAT THEY WOULD HAVE TO

S E C R E T

GROUP 1
EXCLUDED FROM AUTO-
MATIC DOWNGRADING
AND DECLASSIFICATION

(CONT-)

25X1A

PAGE TWO

9743

S E C R E T

IN 96446

PROVE THE NEED FOR THE VERSAMAT. THEY COULD USE THE TANKS
BUT I DOUBT IF THERE IS SPACE FOR THEM.

5. WILL NOT TAKE ACTION ON ANY PHASE OF PARA. 3 OR 4
ABOVE WITHOUT YOUR INSTRUCTION.

END OF MESSAGE